
Citation:

Ispoglou, T and Lees, M and Harlow, P and Duckworth, L and Hind, K and Butterworth, M (2018) cute effects of essential amino acid gelbased and whey protein supplements on appetite and energy intake in older women. In: 11th International Conference on Cachexia, Sarcopenia & Muscle Wasting, 07 December 2018 - 09 December 2018, Maastricht. (Unpublished)

Link to Leeds Beckett Repository record:

<https://eprints.leedsbeckett.ac.uk/id/eprint/5611/>

Document Version:

Conference or Workshop Item (Published Version)


The aim of the Leeds Beckett Repository is to provide open access to our research, as required by funder policies and permitted by publishers and copyright law.

The Leeds Beckett repository holds a wide range of publications, each of which has been checked for copyright and the relevant embargo period has been applied by the Research Services team.

We operate on a standard take-down policy. If you are the author or publisher of an output and you would like it removed from the repository, please [contact us](#) and we will investigate on a case-by-case basis.

Each thesis in the repository has been cleared where necessary by the author for third party copyright. If you would like a thesis to be removed from the repository or believe there is an issue with copyright, please contact us on openaccess@leedsbeckett.ac.uk and we will investigate on a case-by-case basis.

ACUTE EFFECTS OF ESSENTIAL AMINO ACID GEL-BASED AND WHEY PROTEIN SUPPLEMENTS ON APPETITE AND ENERGY INTAKE IN OLDER WOMEN




LEEDS BECKETT UNIVERSITY
CARNEGIE SCHOOL OF SPORT

Authors: Ispoglou, T. Lees, M. Harlow, P. Duckworth, L. Hind, K. Butterworth, M.

Contact author's email: t.ispoglou@leedsbeckett.ac.uk



Theo_Ispoglou



A gel containing the same amount of EAAs as in approximately 15 g of a whey protein isolate (WP) would affect appetite and appetite hormone responses to a lesser degree than WP.

This in turn would facilitate an increase in both **protein** and **energy** intakes when taken before an ad libitum breakfast

Our hypothesis

Challenge: lack of appetite and satiating effects of protein

Solution: eat more protein in a day and within a meal

Older women (69.2 ± 2.7 years of age, body mass of 60.8 ± 7.1 kg, and height of 163.1 ± 3.0 cm) completed three trials in a randomised, crossover design.


Participants

Appetite sensations, plasma insulin and Peptide YY (PYY) responses to a 200 ml WP (275 kJ), 50 ml EAAs gel-based (GEL) supplements, and a control (CON) were investigated over the course of one hour, followed by an ALB.


Nothing was consumed before the ALB in the CON, whilst both the WP and GEL provided 7.5 g of EAAs.

Supplementation protocol



Design




Results




An asterisk sign (*) denotes significantly different from CON and WP



Macro-nutrient intakes (g) from ad lib breakfast plus supplement



Macro-nutrient intakes (g) from ad lib breakfast alone



- Energy intake including energy from supplements and the breakfast.
- Whey protein (WP), essential amino acid gel (GEL), control (CON), ad libitum breakfast (ALB), shaded area represents energy from supplements (SUPPL).
- Data are displayed as individual responses (a) and mean (SEM) (b), n=10.
- PYY (a) and insulin (b) concentrations over the 60-minute period CON (▼), WP (●) and GEL (○). Values are mean (SEM), n=10.
- Time-averaged AUC for PYY was significantly different between trials (P = 0.001), with WP higher than CON (P = 0.009) and GEL (P = 0.012).

Appetite ratings were significantly higher in CON compared to WP (P=0.015)

Findings, highlight potential gel-based EAAs supplementation intake for addressing age-related sarcopenia.

Acknowledgements: This work is supported by the Carnegie School of Sport

